



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)Search: ☐ The ACM Digital Library ☒ The Guide

fieldbus "process control" subscriber shutdown transmission



## THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)Terms used **fieldbus process control subscriber shutdown transmission**

Found 2,093 of 882,065

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#) [Search Tips](#)☐ Open results in a new windowTry an [Advanced Search](#)Try this search in [The Digital Library](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Special session on NOMADS: An architecture to support cooperating mobile embedded systems](#)

Edgar Nett, Stefan Schemmer

April 2004 **Proceedings of the 1st conference on Computing frontiers**Full text available: [pdf\(245.28 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

There is a sustained trend to embed computer systems in all kinds of intelligent products. Increasing emphasis is given to enhance the functionality of such systems beyond the provision of easy-of-use and comfort to more safety-critical tasks where they exert direct control over the intelligent product. Examples of such systems can be exploited in many domains like team robotics, factory automation, transport systems, and intelligent traffic control. To master the inherent complexity, we present ...

**Keywords:** mobile embedded systems, mobility and adaptivity, modeling of complex systems, service-based architectures, wireless ad-hoc networks

**2** [Dynamic adaptive routing for a heterogeneous wireless network](#)

Eric Hsiao-Kuang Wu, Yi-Zhan Huang

June 2004 **Mobile Networks and Applications**, Volume 9 Issue 3Full text available: [pdf\(822.01 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents an integrated architecture of a Heterogeneous Wireless Network (HWN) and a dynamic adaptive routing protocol (DARP) for a HWN. To allow mobile users versatile communication with anyone or any device at any place and anytime, HWN integrates cellular network with an ad hoc network (independent Basic Service Set) in wireless local area network (WLAN) and reserves advantages of sizable coverage in a cellular network and high data rate in deployable ad hoc network. It also enlarge ...

**Keywords:** QoS, QoS routing, ad hoc network, cellular network, heterogeneous network, heterogeneous wireless network, hybrid network, multihop network, routing, wireless local network, wireless network

**3** [Papers: MPEG transmission schemes for a timed token medium access control network](#)

Joseph Kee-Yin Ng

January 1999 **ACM SIGCOMM Computer Communication Review**, Volume 29 Issue 1Full text available: [pdf\(1.23 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper presents three transmission schemes to improve the transmission of MPEG video



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

fieldbus "process control" subscriber shutdown "transmission r


**THE GUIDE TO COMPUTING LITERATURE**

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **fieldbus process control subscriber shutdown transmission rate**

Found 380 of 882,065

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The Digital Library](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Invited workshop on design and applications of reconfigurable systems: Reconfigurable distributed systems based on FPGAs and fieldbuses](#)

José Fonseca, Arnaldo Oliveira

 January 2005 **Proceedings of the 4th international symposium on Information and communication technologies WISICT '05**

 Full text available: [pdf\(408.33 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Today, distributed systems based on a set of processor-based nodes are pervasive in many applications such as acquisition systems or embedded systems. The communication is often based in a fieldbus network which enables also functionalities such as program download and node synchronization. The use of FPGAs, replacing processors is appealing, providing remote reconfiguration through the fieldbus is possible. This paper describes a solution for this requirement.

### 2 [Dynamic adaptive routing for a heterogeneous wireless network](#)

Eric Hsiao-Kuang Wu, Yi-Zhan Huang

 June 2004 **Mobile Networks and Applications**, Volume 9 Issue 3

 Full text available: [pdf\(822.01 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents an integrated architecture of a Heterogeneous Wireless Network (HWN) and a dynamic adaptive routing protocol (DARP) for a HWN. To allow mobile users versatile communication with anyone or any device at any place and anytime, HWN integrates cellular network with an ad hoc network (independent Basic Service Set) in wireless local area network (WLAN) and reserves advantages of sizable coverage in a cellular network and high data rate in deployable ad hoc network. It also enlarge ...

**Keywords:** QoS, QoS routing, ad hoc network, cellular network, heterogeneous network, heterogeneous wireless network, hybrid network, multihop network, routing, wireless local network, wireless network

### 3 [Special session on NOMADS: An architecture to support cooperating mobile embedded systems](#)

Edgar Nett, Stefan Schemmer

 April 2004 **Proceedings of the 1st conference on Computing frontiers**

 Full text available: [pdf\(245.28 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

There is a sustained trend to embed computer systems in all kinds of intelligent products. Increasing emphasis is given to enhance the functionality of such systems beyond the provision of easy-of-use and comfort to more safety-critical tasks where they exert direct control over the intelligent product. Examples of such systems can be exploited in many




USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

fieldbus "process control" subscriber shutdown


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **fieldbus process control subscriber shutdown**

Found 150 of 161,645

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#)[Search Tips](#)
☐ Open results in a new window
[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 150

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Special session on NOMADS: An architecture to support cooperating mobile embedded systems](#)

Edgar Nett, Stefan Schemmer

 April 2004 **Proceedings of the 1st conference on Computing frontiers**

 Full text available: pdf(245.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

There is a sustained trend to embed computer systems in all kinds of intelligent products. Increasing emphasis is given to enhance the functionality of such systems beyond the provision of easy-of-use and comfort to more safety-critical tasks where they exert direct control over the intelligent product. Examples of such systems can be exploited in many domains like team robotics, factory automation, transport systems, and intelligent traffic control. To master the inherent complexity, we present ...

**Keywords:** mobile embedded systems, mobility and adaptivity, modeling of complex systems, service-based architectures, wireless ad-hoc networks

### 2 [Agents, interactions, mobility, and systems \(AIMS\): Software agents for process monitoring and notification](#)

Larry Bunch, Maggie Breedy, Jeffrey M. Bradshaw, Marco Carvalho, Niranjan Suri, Andrzej Uszok, Jack Hansen, Michal Pechoucek, Vladimir Marik

 March 2004 **Proceedings of the 2004 ACM symposium on Applied computing**

 Full text available: pdf(974.16 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Safety and efficiency are primary concerns in chemical processing facilities, though the complexity of many such systems often makes it difficult for operators to detect abnormal conditions before they compromise throughput or become hazardous. In this paper, we report initial results from the application of multi-agent systems to monitor complex chemical processes and flexibly and appropriately notify key plant personnel about off-nominal conditions.

**Keywords:** DAML, FlexFeed, KAOS, KARMEN, OWL, agent, chemical process, monitoring, notification, ontology, policy

### 3 [Haemo dialysis software architecture design experiences](#)

PerOlof Bengtsson, Jan Bosch

 May 1999 **Proceedings of the 21st international conference on Software engineering**

 Full text available: pdf(1.35 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Sun, 25 Sep 2005, 1:00:30 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display



Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	((fieldbus ~process control~ subscriber shutdown ~transmission rate~ <in>metadata)	0
#2	(( fieldbus<in>metadata ) <and> ( process control<in>metadata ) ) ( transmission rate<in>metadata )	0
#3	((fieldbus ~process control~ subscriber shutdown ~transmission rate~ <in>metadata)	0
#4	(( fieldbus<in>metadata ) <and> ( process control<in>metadata ) )	0
#5	fieldbus	778
#6	(fieldbus ~process control~<in>metadata)	0
#7	(( fieldbus<in>metadata ) <and> ( transmission rate<in>metadata ) ) ( shutdown<in>metadata )	0
#8	(( fieldbus<in>metadata ) <and> ( transmission <in>metadata ) ) ( shutdown<in>metadata )	0
#9	(( fieldbus<in>metadata ) <and> ( transmission <in>metadata ) ) ( process<in>metadata )	16
#10	(( fieldbus<in>metadata ) <and> ( transmission <in>metadata ) ) ( process<in>metadata )	16
#11	fieldbus comparator	0
#12	(( fieldbus<in>metadata ) <and> ( transmission<in>metadata ) )	38
#13	(( fieldbus<in>metadata ) <and> ( transmission<in>metadata ) )	38



Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Sun, 25 Sep 2005, 12:47:33 AM EST

Edit an existing query or compose a new query in the Search Query Display.

## Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

		Results
#1	((fieldbus ~process control~ subscriber shutdown ~transmission rate~<in>metadata)	0
#2	(( fieldbus<in>metadata ) <and> ( process control<in>metadata ) <and> ( transmission rate<in>metadata )	0
#3	((fieldbus ~process control~ subscriber shutdown ~transmission rate~<in>metadata)	0
#4	(( fiedbus<in>metadata ) <and> ( process control<in>metadata ) )	0
#5	fieldbus	778
#6	(fieldbus ~process control~<IN>metadata)	0
#7	(( fieldbus <in>metadata ) <and> ( configuration<in>metadata ) ) <and> ( transmission<in>metadata )	3
#8	(( fieldbus <in>metadata ) <and> ( configuration<in>metadata ) ) <and> ( transmission<in>metadata )	3
#9	(( fieldbus<in>metadata ) <and> ( transmission rate<in>metadata ) ) <and> ( shutdown<in>metadata )	0
#10	(( fieldbus<in>metadata ) <and> ( transmission <in>metadata ) ) <and> ( shutdown<in>metadata )	0
#11	(( fieldbus<in>metadata ) <and> ( transmission <in>metadata ) ) <and> ( process<in>metadata )	16
#12	(( fieldbus<in>metadata ) <and> ( transmission <in>metadata ) ) <and> ( process<in>metadata )	16

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved



Welcome United States Patent and Trademark Office

☐ View Selected Items
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for " ( ( fieldbus&lt;in&gt;metadata ) &lt;and&gt; ( transmission&lt;in&gt;metadata ) ) "

Your search matched 38 of 1237766 documents. You selected 25 items.

e-mail
 printer friendly

 Display Format:
 ☐ Citation
 ☒ Citation & Abstract

Article Information

View: 1-25 | [View Search Results](#)

» Download Citations



» [Learn more](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

- A new signal transmitting method for Fieldbus**  
 Suzuki, T.; Asanuma, K.; Kanzaki, N.; Mine, H.; Kuroiwa, S.  
 Instrumentation and Measurement Technology Conference, 1994. IMTC/94. Conference Proceedings. 10th Anniversary. Advanced Technologies in I & M., 1994 IEEE  
 10-12 May 1994  
 Page(s): 424-427 vol.1  
 Digital Object Identifier 10.1109/IMTC.1994.352034  
**Summary:** The purpose of this work is to provide a method to increase the number of connectable devices for the Fieldbus. We have proposed a new signal transmitting method, which has features to reduce driven current during non-transmission and raise average d.....  
[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF
- Colored Petri nets based evaluation of transmission procedures at a fieldbus data link layer protocol**  
 Mnaouer, A.B.; Fujii, Y.; Sekiguchi, T.  
 Industrial Technology, 1994. Proceedings of the IEEE International Conference on  
 5-9 Dec 1994  
 Page(s): 371-375  
 Digital Object Identifier 10.1109/ICIT.1994.467093  
**Summary:** In this paper we present an evaluation of the timer-controlled transmission procedures within the data link layer protocol of a fieldbus network of standard design, using timed colored Petri nets. The aim of this work is to assess the impact of the v.....  
[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF
- Pre-run-time scheduling to reduce schedule length in the FieldBus environment**  
 Cavalleri, S.; Di Stefano, A.; Mirabella, O.  
 Software Engineering, IEEE Transactions on  
 Volume: 21 Issue: 11 Nov 1995  
 Page(s): 865-880  
 Digital Object Identifier 10.1109/32.473215  
**Summary:** The paper deals with the problem of scheduling the transmission of periodic processes in a distributed FieldBus system, defining the conditions guaranteeing correct transmission. The scheduling of periodic processes fixes the transmission times for e.....  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#) IEEE JNL
- Transmission scheduling for fieldbus: a strategy to schedule data and messages on the bus with end-to-end constraints**  
 Franco, L.R.H.R.  
 Intelligence and Systems, 1996., IEEE International Joint Symposia on  
 4-5 Nov 1996  
 Page(s): 148-155  
 Digital Object Identifier 10.1109/IJISIS.1996.565063  
**Summary:** The transmission scheduling for fieldbus has been addressed until now to minimize the number of data. It does not take into account the temporal dependency of data. Usually, the approaches of transmission scheduling for fieldbus let to the applicatio.....  
[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF
- An Improved CAN fieldbus for industrial applications**  
 Cena, G.; Valenzano, A.  
 Industrial Electronics, IEEE Transactions on  
 Volume: 44 Issue: 4 Aug 1997  
 Page(s): 553-564



Welcome United States Patent and Trademark Office

☐ View Selected Items
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for " ( ( fieldbus&lt;in&gt;metadata ) &lt;and&gt; ( transmission &lt;in&gt;metadata ) )&lt;and&gt; ( proc... "

Your search matched 16 of 1237766 documents. You selected 15 items.

e-mail
 printer friendly

 Display Format:
 ☐ Citation
 ☒ Citation & Abstract

Article Information

View: 1-15 | [View Search Results](#)

## » Download Citations



» [Learn more](#)

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

1. **A new signal transmitting method for Fieldbus**

Suzuki, T.; Asanuma, K.; Kanzaki, N.; Mine, H.; Kuroiwa, S.

Instrumentation and Measurement Technology Conference, 1994. IMTC/94. Conference Proceedings. 10th Anniversary. Advanced Technologies in I &amp; M., 1994 IEEE

10-12 May 1994

Page(s): 424-427 vol.1

Digital Object Identifier 10.1109/IMTC.1994.352034

**Summary:** The purpose of this work is to provide a method to increase the number of connectable devices for the Fieldbus. We have proposed a new signal transmitting method, which has features to reduce driven current during non-transmission and raise average d.....

[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF2. **Intelligent field devices: user expectations**

Capetta, L.; Mella, A.; Russo, F.

Fieldbus Devices - A Changing Future, IEE Colloquium on 2 Dec 1994

Page(s): 6/1-6/4

**Summary:** Modern computerised systems for distributed control, maintenance and management of industrial plants communicate with each other and with the production process. This scenario includes Fieldbusses, intelligent actuators and transmitters, to make more.....

[AbstractPlus](#) | Full Text: [PDF](#) IEE CNF3. **Petri net-based performance evaluation of asynchronous traffic management in FieldBus**

Cavalieri, S.; Di Stefano, A.; Lo Bello, L.; Mirabella, O.

Industrial Electronics, 1996. ISIE '96., Proceedings of the IEEE International Symposium on Volume: 2 17-20 Jun 1996

Page(s): 1031-1036 vol.2

Digital Object Identifier 10.1109/ISIE.1996.551087

**Summary:** The paper deals with the problem of asynchronous traffic management in FieldBus systems. A FieldBus is a digital communication bus able to interconnect field devices with control systems in a process control environment. In FieldBus systems, the mana.....

[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF4. **Transmission scheduling for fieldbus: a strategy to schedule data and messages on the bus with end-to-end constraints**

Franco, L.R.H.R.

Intelligence and Systems, 1996., IEEE International Joint Symposia on 4-5 Nov 1996

Page(s): 148-155

Digital Object Identifier 10.1109/IJISIS.1996.565063

**Summary:** The transmission scheduling for fieldbus has been addressed until now to minimize the number of data. It does not take into account the temporal dependency of data. Usually, the approaches of transmission scheduling for fieldbus let to the applicatio.....

[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF

## 5.

**An Improved CAN fieldbus for industrial applications**

Cena, G.; Valenzano, A.

Industrial Electronics, IEEE Transactions on

Volume: 44 Issue: 4 Aug 1997

Page(s): 553-564

Digital Object Identifier 10.1109/41.605633



Welcome United States Patent and Trademark Office

View Selected Items

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for " ( ( fieldbus&lt;in&gt;metadata ) &lt;and&gt; ( transmission&lt;in&gt;metadata ) ) "

Your search matched 38 of 1237786 documents. You selected 13 items.

[e-mail](#)
[printer friendly](#)

 Display Format:
 ☐ Citation
 ☒ Citation & Abstract

Article Information

View: 1-13 | [View Search Results](#)

## » Download Citations

Citation

EndNote, ProCite, RefMan

» [Learn more](#)

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

## 1. Intelligent field devices: user expectations

Capetta, L.; Mella, A.; Russo, F.  
 Fieldbus Devices - A Changing Future, IEE Colloquium on  
 2 Dec 1994  
 Page(s): 6/1-6/4

**Summary:** Modern computerised systems for distributed control, maintenance and management of industrial plants communicate with each other and with the production process. This scenario includes Fieldbusses, Intelligent actuators and transmitters, to make more.....

[AbstractPlus](#) | Full Text: [PDF](#) IEE CNF

## 2. Formal modelling and analysis of a critical time communication protocol

Juanole, G.; Gallon, L.  
 Factory Communication Systems, 1995. WFCS '95, Proceedings., 1995 IEEE International Workshop on  
 4-6 Oct 1995  
 Page(s): 107-115

Digital Object Identifier 10.1109/WFCS.1995.482656

**Summary:** In this paper, a communication protocol based on a local area network (fieldbus for example) in which a producer periodically sends data to a consumer (the consumer wishes to consume within a time window) is considered. Data transmission is assumed t.....

[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF

## 3. Petri net-based performance evaluation of asynchronous traffic management in FieldBus

Cavalieri, S.; Di Stefano, A.; Lo Bello, L.; Mirabella, O.  
 Industrial Electronics, 1996. ISIE '96., Proceedings of the IEEE International Symposium on  
 Volume: 2 17-20 Jun 1996  
 Page(s): 1031-1036 vol.2

Digital Object Identifier 10.1109/ISIE.1996.551087

**Summary:** The paper deals with the problem of asynchronous traffic management in FieldBus systems. A FieldBus is a digital communication bus able to interconnect field devices with control systems in a process control environment. In FieldBus systems, the mana.....

[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF

## 4. A slot swapping based fieldbus

Di Stefano, A.; Gangemi, A.; Lo Bello, L.; Mirabella, O.  
 Industrial Electronics Society, 1998. IECON '98. Proceedings of the 24th Annual Conference of the IEEE  
 Volume: 1 31 Aug-4 Sep 1998  
 Page(s): 214-219 vol.1

Digital Object Identifier 10.1109/IECON.1998.723996

**Summary:** The mechanisms for access to the physical channel used in the data link layer are one of the most controversial issues in Fieldbusses. Two approaches are widely used, the centralised and the distributed ones, the performance of which strictly depends.....

[AbstractPlus](#) | Full Text: [PDF](#) IEEE CNF

## 5.

## ATM networks for factory communication

Cseh, C.; Janssen, M.; Jaspermeite, J.  
 Emerging Technologies and Factory Automation, 1999. Proceedings. ETFA '99. 1999 7th IEEE International Conference on  
 Volume: 2 1999  
 Page(s): 797-804 vol.2

Digital Object Identifier 10.1109/ETFA.1999.813075

**Summary:** In this paper the authors discuss the suitability of the Asynchronous Transfer Mode (ATM) as a data transfer





Welcome United States Patent and Trademark Office

☐ View Selected Items
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for " ( ( fieldbus &lt;in&gt;metadata ) &lt;and&gt; ( configuration&lt;in&gt;metadata ) )&lt;and&gt; ( tra... "

Your search matched 3 of 1237766 documents. You selected 3 items.

☒ e-mail ☐ printer friendly

» Download Citations

Display Format: ☐ Citation ☒ Citation & Abstract

Citation

Article Information

View: 1-3 | [View Search Results](#)

EndNote, ProCite, RefMan

» [Learn more](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

## 1. Intelligent field devices: user expectations

Capetta, L.; Mella, A.; Russo, F.

Fieldbus Devices - A Changing Future, IEE Colloquium on

2 Dec 1994

Page(s): 6/1-6/4

**Summary:** Modern computerised systems for distributed control, maintenance and management of industrial plants communicate with each other and with the production process. This scenario includes Fieldbusses, intelligent actuators and transmitters, to make more.....

[AbstractPlus](#) | Full Text: [PDF](#) IEE CNF

## 2. A proposal modification of CAN protocol to support a dynamic priority policy being able to be implemented on CAN fieldbus controller components

Hasnaoui, S.; Bouallegue, A.

Industry Applications Conference, 2000. Conference Record of the 2000 IEEE

Volume: 2 2000

Page(s): 1129-1136 vol.2

Digital Object Identifier 10.1109/IAS.2000.881973

**Summary:** Industrial local area networks, called controller area networks (CAN), are used in the framework of real-time distributed industrial applications. Such applications cover the drinking or used water adduction; the transportation and the distribution o.....

[AbstractPlus](#) | Full Text: [PDF](#) IEE CNF

## 3. Fieldbus network implementation based on RS-485

Qian Dong; Jianying Xie

Intelligent Control and Automation, 2002. Proceedings of the 4th World Congress on

Volume: 4 2002

Page(s): 2790- 2793 vol.4

Digital Object Identifier 10.1109/WCICA.2002.1020032

**Summary:** First, in this paper we present the integral structure of RS-485 fieldbus network in practical industrial applications. Through designing and implementing RS-485 fieldbus control systems, we gained much experience in configuration of resistor termin.....

[AbstractPlus](#) | Full Text: [PDF](#) IEE CNFView: 1-3 | [View Search Results](#) | [Back to top](#)
[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved

 Indexed by